



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com



WhatsApp



WeChat

GWY-V90 Flat Wire Vertical Winding Machine



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp



WeChat

Specification: Main technical parameters: (unit: mm)

	Item	Parameter
1	Period	35-150 S/PCS
2	Capacity	150-1000 PCS/DAY
3	Alarm	HMI, buzzer, red light
4	Sustainability	Work continuously for 24 hours
5	Operation Temperature	20°C~38°C
6	Operating humidity	(30~70) %RH
7	Power Supply	AC220V 50HZ
8	Dimensions	2500(L)*1200(W)*1800(H)
9	Power	3000W
10	Machine Weight	200KG

FEATURES:

1. It is used for the production of flat wire circular single coils. Coils of various shapes can be used interchangeably and have extremely good compatibility.

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com



2. It is compatible with flat wires within 50 square meters
3. The touch screen and PLC control. The transmission power is driven by a servo motor.
4. Precision lead screws and the slide rail serves as the transmission component, and various mechanisms work in coordination to complete the entire winding action.
5. Automatic feeding. The caching function enables one person to monitor multiple machines.
6. The equipment is stable and reliable. Currently, almost all the major suppliers in China in the industry are using our company's equipment for production.
7. All key components are made of imported parts, which are highly durable and basically have no after-sales problems.
8. The equipment control system is independently developed and easy to operate. Ordinary technicians can learn to use it within two hours.
9. The equipment can be changed quickly. Mature molds can be changed within one hour.
10. The after-sales service is reliable. The teaching video will be sent to you after you get the machine and our engineer will be ready to service online 24 hours/day.

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.